10	L Number	Hits	Search Text	DB	Time stamp
(((congest3) conten\$4 colli\$5)near2					
(avoid\$5) and (delay same acknowledg\$5) EPO; JPO; DERWENT; IBM TOB and (((congest\$3 conten\$4 coll158) ineat2 (us-POPUB; IBM TOB and inb) and (delay same acknowledg\$5)) DERWENT; IBM TOB useAnd inb) and (delay same acknowledg\$5) DERWENT; IBM TOB useAnd inb) DERWENT; IBM TOB useAnd inb) DERWENT; IBM TOB useAnd inb) DERWENT; IBM TOB useAnd ind wad-20010716	-				
10					
10				•	
and (((congest\$3 conten\$4 colli\$5))near2 (avoid\$5))and (delay same acknowledg\$5)) EPO, JPO, DERMENT; IBM, TDB (USPAT; and Gad-20010716 EPO, JPO, DERMENT; IBM, TDB (USPAT; and Gad-20010716 EPO, JPO, DERMENT; IBM, TDB (USPAT; and Gad-20010716) EPO, JPO, DERMENT; IBM, TDB ((avoidcast\$3)) adj (messag\$3))) EPO, JPO, JPO, DERMENT; IBM, TDB ((avoidcast\$3)) adj (messag\$3))) EPO, JPO, JPO, DERMENT; IBM, TDB ((broadcast\$3)) adj (messag\$3))) EPO, JPO, JPO, DERMENT; IBM, TDB ((congest\$5 conten\$4 colli\$5 inear2 (avoidca\$5)) EPO, JPO, DERMENT; IBM, TDB ((congest\$5 conten\$4 colli\$5 inear2 (avoidca\$5)) EPO, JPO, DERMENT; IBM, TDB ((avoidcast\$3)) EPO, JPO, DERMENT; IBM, TDB ((avoidcast\$3)) EPO, JPO, DERMENT; IBM, TDB ((avoidcast\$3)) EPO, JPO, DERMENT; IBM, TDB ((avoidcast\$4)) EPO, J				_	
Cavoid\$5] and (delay same acknowled\$5]) EFO; JPO; and hub DERRENT; TEM TDB	10	4			2003/12/31 08:12
11 2875 370/230,242,245,253,338,328,908,910,254.ccla USPAT; and @ad<2010716 and (ethernet near10 EROF, JPO; DERMENT] 18				· ·	
1					
11			and hub	•	
and @ad<20010716	111	2875	370/230,242,245,253.338.328.908.910.254.ccls		2003/12/31 08:13
12 52 (370/230,242,245,253,338,328,908,910,254.ccls and @ad<20010716) and ((ethernet near10 (network\$4)) and ((broadcast\$3)) and ((ethernet near10 (network\$4)) and ((broadcast\$3)) and ((ethernet near10 (network\$4)) and ((broadcast\$3)) and ((broadcast\$3) and ((broadcast\$3)) and ((broadcast\$3)) and ((broadcast\$3) and ((broadcast\$3)) and ((broadcast\$3) and ((-5,5			
12 52 (370/230,242,245,253,338,328,908,910,254.ccls and @adc20010716) and ((lethernet near10 (network\$4)) and ((lbroadcast\$3)) and ((lbroadcast\$3)) and ((lbroadcast\$3)) and ((loroadcast\$3)) and ((loroadcast\$3) and (loroadcast\$3) and (loroadcast\$3) and (loroadcast\$3) and ((loroadcast\$3)) and ((loroadcast\$3) and (loroadcast\$3) and ((loroadcast\$3) and ((loroadcast\$3)) and ((loroadcast\$3)) and ((loroadcast\$3) and (loroadcast\$3) and ((loroadcast\$3)) and ((loroadcast\$3) and (loroadcast\$3) and ((loroadcast\$3) and ((lor					
12				DERWENT;	
and @adc20010716) and ((ethernet near10 (networks4)) and ((broadcast\$3) ad) (messag\$3)))			//		
(network\$4) and ((broadcast\$3) adj (messag\$3))	12	52		•	2003/12/31 08:14
((broadcast\$) adj (messag\$3))				•	
13					
13			(\DZ Oddedbey J / dd J \messagy J / /)		
and @ad<20010716) and((ethernet near10 (network4)) and ((broadcast\$3) ad) ((broadcast\$3) ad) ((meswork4)) and ((broadcast\$3) ad) ((meswork5)) and ((congest\$3 conten\$4 colli\$5) near2 (awòàd\$5)*e\$add@ayfbpmmeadgknew@edg&p1) (US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	13	4	((370/230,242,245,253,338,328,908,910,254.ccls		2003/12/31 08:35
1			and @ad<20010716) and((ethernet near10		
19				EPO; JPO;	
19					
Counter) with (enebl\$ disabl\$) US-PGPUB; PPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; PPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; PPO; JPO; JPO; DERWENT; US-PGPUB; PPO; JPO; DERWENT; US-PGPUB; PPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO;		_		_	0000/10/01
20	19	0		•	2003/12/31 09:34
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-P			Counter, with (enebis disable)	•	
IBM_TDB Counter Coun					
20					
Counter Coun	20	0	(selectiv\$)near10 (Byte adj used near1		2003/12/31 09:34
DERMENT; IBM TDB US-PAT; US-PGPUB; EPO; JPO; DERMENT; IBM TDB US-P				•	
21					
21				-	
Counter Coun	21		(selective) near10 (Byte add wood near5		2002/12/21 00.24
Counter adj byte Counter adj				•	2003/12/31 09:34
Counter adj byte Counter adj				•	
1					
Byte adj used near5 counter US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JP		i		_	
23 0 (detect\$ select\$ enabl\$ disable\$) near10 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO;	22	1		•	2003/12/31 09:40
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; U			(Byte adj used near5 counter)		
Counter adj byte Counter adj					
23 0 (detect\$ select\$ enabl\$ disable\$)near10 (Byte adj used near2 counter) 24 0 Byte adj used adj as adj counter 25 286 Counter adj byte 26 261 (counter adj byte) and @ad<20010716 27 c ethernet near10 (network44) 28 c counter near10 (network44) 29 c counter near10 (network44) 2003/12/31 09:41 2003/12/31 09:41 2003/12/31 09:41 2003/12/31 09:41 2003/12/31 09:41 2003/12/31 09:41 2003/12/31 09:42 2003/12/31 09:42 2003/12/31 09:42 2003/12/31 09:42 2003/12/31 09:42 2003/12/31 09:42				•	
Counter adj byte Counter adj	23	0	(detect\$ select\$ enabl\$ disable\$)near10	_	2003/12/31 09:40
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;				·	, ,
Byte adj used adj as adj counter IBM_TDB US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERW					
24 0 Byte adj used adj as adj counter				•	
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	24		Buto add wood add as add sourter	_	2002/10/21 22 12
25 286 counter adj byte USPAT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	44	ا	pyte auj useu auj as auj counter		2003/12/31 09:41
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
25 286 counter adj byte USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
25				•	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	25	286	counter adj byte	USPAT;	2003/12/31 09:41
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				-	
26	 				
26		İ	·		
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT; DERWENT; DERWENT;	26	261	(counter adj byte) and @ad<20010716	_	2003/12/31 09:42
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; DERWENT;			J	•	,, 05.42
- 0 ethernet near10 (network44) IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;				·	
O ethernet near10 (network44) USPAT; 2003/12/30 11:36 US-PGPUB; EPO; JPO; DERWENT;				•	
US-PGPUB; EPO; JPO; DERWENT;	_	١	othornot noon10 (notropolitit)	_	0000/10/00
EPO; JPO; DERWENT;	-	o	echernet nearlu (network44)	•	2003/12/30 11:36
DERWENT;		J		·	
		ļ			

		•		
-	20549	ethernet near10 (network\$4)	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 11:43
			DERWENT; IBM_TDB	
-	10596	(ethernet near10 (network\$4)) and @ad<20000716	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 15:43
-	990	((ethernet near10 (network\$4)) and @ad<20000716) and ((global\$2 broadcast\$3)near3 (messag\$3 function))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:33
-	533	((ethernet near10 (network\$4)) and	DERWENT; IBM_TDB USPAT;	2003/12/31 08:14
		<pre>@ad<20000716) and ((broadcast\$3)adj(messag\$3))</pre>	US-PGPUB; EPO; JPO; DERWENT;	
-	4946	ethernet adj (network\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 15:59
-	58	(((ethernet near10 (network\$4)) and @ad<20000716) and ((global\$2 broadcast\$3)near3 (messag\$3 function))) and	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:08
_	150	((MAC adj address) and counter) (((ethernet near10 (network\$4)) and	DERWENT; IBM_TDB USPAT;	2003/12/30 12:47
		@ad<20000716) and ((broadcast\$3)adj(messag\$3))) and (avoid and (Colli\$5))	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	6	((ethernet near10 (network\$4)) and @ad<20000716) and ((address adj byte)near2 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 14:08
-	6	((ethernet near10 (network\$4)) and @ad<20000716) and ((address adj byte\$1)near2 counter)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 13:31
-	2715	(ethernet adj (network\$4)) and @ad<20000716	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 14:07
-	3523	(ethernet adj (network\$4)) and @ad<20010716	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 14:09
-	0	((ethernet adj (network\$4)) and @ad<20010716) and ((address adj byte)near2 counter)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 14:08
-	62	((address adj byte)near2 counter)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:07
-	58	(((address adj byte)near2 counter)) and @ad<20010716	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 14:50
			DERWENT; IBM_TDB	

-	801	709/233,234,235.ccls. and @ad<20010716	USPAT; US-PGPUB; EPO; JPO;	2003/12/31 07:55
			DERWENT; IBM TDB	
-	19	(709/233,234,235.ccls. and @ad<20010716) and (((congest\$3 conten\$4 colli\$5)near2 (avoid\$5))and (delay same acknowledg\$5))	USPAT; US-PGPUB; EPO; JPO;	2003/12/31 08:16
		(a.erays), and (aeray same aeranowicasys),	DERWENT; IBM_TDB	
-	82	(709/233,234,235.ccls. and @ad<20010716) and ethernet adj (network\$4)	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:07
		(/500/000 004 005)	DERWENT; IBM_TDB	
-	0	((709/233,234,235.ccls. and @ad<20010716) and ethernet adj (network\$4)) and((address adj byte)near2 counter)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/30 15:07
_	8	((709/233,234,235.ccls. and @ad<20010716)	IBM_TDB USPAT;	2003/12/30 15:16
		and ethernet adj (network\$4)) and ((MAC adj address) and counter)	US-PGPUB; EPO; JPO; DERWENT;	1000, 11, 00 10.10
-	0	Byte adj as adj counter	IBM_TDB USPAT; US-PGPUB;	2003/12/30 15:16
			EPO; JPO; DERWENT; IBM_TDB	
-	21	Byte adj used near1 counter	USPAT; US-PGPUB; EPO; JPO;	2003/12/31 09:33
-	14039	(ethernet near10 (network\$4)) and @ad<20010716	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/30 15:33
			EPO; JPO; DERWENT;	
-	1227	((ethernet near10 (network\$4)) and @ad<20010716) and ((global\$2 broadcast\$3)near3 (messag\$3 function))	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:33
		•	DERWENT; IBM TDB	
-	648	((ethernet near10 (network\$4)) and @ad<20010716) and ((broadcast\$3)adj(messag\$3))	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:36
		((()) () () () () () () () (DERWENT; IBM TDB	
-	0	(((ethernet near10 (network\$4)) and @ad<20010716) and ((broadcast\$3)adj(messag\$3))) and Byte adj	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:34
	1.0	used nearl counter	DERWENT; IBM_TDB	
-	19	((ethernet near10 (network\$4)) and @ad<20010716) and (counter adj byte)	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 15:37
-	14039	(ethernet near10 (network\$4)) and	DERWENT; IBM_TDB USPAT;	2003/12/30 15:46
		@ad<20010716	US-PGPUB; EPO; JPO; DERWENT;	
-	1	(Home adj Automation)and (ethernet adj	IBM_TDB USPAT;	2003/12/30 16:46
		<pre>Hub)and ((Collision Contention congestion)near2 (avoid\$5))</pre>	US-PGPUB; EPO; JPO; DERWENT;	
			IBM_TDB	

-	15	(Home adj Automation) and (ethernet) and	USPAT;	2003/12/30 15:46
		((Collision Contention congestion)near2	US-PGPUB;	
		(avoid\$5))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
[-	8	((USPAT;	2003/12/30 16:00
		((Collision Contention congestion) near2	US-PGPUB;	
		(avoid\$5))) and @ad<20010716	EPO; JPO;	
-			DERWENT;	
	200	(/othornat add (maturalital)) and	IBM_TDB	0000/10/20 15 00
-	200	((ethernet adj (network\$4)) and @ad<20010716) and	USPAT;	2003/12/30 16:00
1		((broadcast\$3)adj(messag\$3))	US-PGPUB; EPO; JPO;	
		(Dioadcast\$3/ad) (messag\$3/)	DERWENT;	
			IBM_TDB	
_	1213	(ethernet adj (network\$4)) and hub	USPAT;	2003/12/30 16:36
		(voicement day (iisomorny 1)) and nas	US-PGPUB;	2003/12/30 10:30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	873	((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:35
		@ad<20010716	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	104		USPAT;	2003/12/30 16:00
		@ad<20010716) and	US-PGPUB;	
		((broadcast\$3)adj(messag\$3))	EPO; JPO;	
			DERWENT;	
l _	0	(///othornot add /makeembash) and bub)	IBM_TDB	
-		((((conterned and (need of need need and) and	USPAT;	2003/12/30 16:34
		@ad<20010716) and ((broadcast\$3)adj(messag\$3))) and ((8bit	US-PGPUB;	
	1	eight-bit)adj(processor counter))	EPO; JPO;	
		orang provessor connect)	DERWENT; IBM TDB	
_	0	(((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:34
		@ad<20010716) and ((8bit	US-PGPUB;	2003/12/30 10:34
		eight-bit)adj(processor counter))	EPO; JPO;	
1	1		DERWENT;	
			IBM_TDB	
-	0	((((ethernet adj (network\$4)) and hub) and	USPAT;	2003/12/30 16:34
		@ad<20010716) and	US-PGPUB;	
		((broadcast\$3)adj(messag\$3))) and	EPO; JPO;	
		((8bit)adj(processor counter))	DERWENT;	
			IBM_TDB	
-	0	((((comorned ad) (incomorned)) and indb/ and	USPAT;	2003/12/30 16:35
	:	@ad<20010716) and	US-PGPUB;	
		((broadcast\$3)adj(messag\$3))) and ((8-bit)adj(processor counter))	EPO; JPO;	
		((to-bit/adj(piocessor counter))	DERWENT;	
-	1547	8-bit)adj(processor counter	IBM_TDB	2002/12/20 16 55
	-5.7		USPAT; US-PGPUB;	2003/12/30 16:51
]		EPO; JPO;	
			DERWENT;	
!			IBM TDB	
-	1415	(8-bit)adj(processor counter) and	USPAT;	2003/12/30 16:53
		@ad<20010716	US-PGPUB;	= = = = = = = = = = = = = = = =
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	((8-bit)adj(processor counter) and	USPAT;	2003/12/30 16:36
		@ad<20010716) and(ethernet adj (network\$4))	US-PGPUB;	
		and hub	EPO; JPO;	İ
			DERWENT;	
_	_	/IIoma add Rubamahdam) and a factor of the same	IBM_TDB	
_	6	(Home adj Automation)and (ethernet adj Hub)	USPAT;	2003/12/30 16:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	1504	Home adj Automation	USPAT; US-PGPUB;	2003/12/30 16:51
			EPO; JPO; DERWENT;	
-	2	(Home adj Automation) and ((8-bit)adj(processor counter))	IBM_TDB USPAT; US-PGPUB;	2003/12/30 16:52
		((o-bic/adj\piocessor councer/)	EPO; JPO; DERWENT;	
-	137	(Home adj Automation) and (ethernet)	IBM_TDB USPAT; US-PGPUB;	2003/12/30 16:54
			EPO; JPO; DERWENT; IBM TDB	
-	1	((Home adj Automation)and (ethernet)) and ((8-bit)adj(processor counter))	USPAT; US-PGPUB;	2003/12/30 16:53
			EPO; JPO; DERWENT; IBM TDB	
-	1	((Home adj Automation)and (ethernet)) and ((8-bit)adj(processor))	USPAT; US-PGPUB;	2003/12/30 16:53
			EPO; JPO; DERWENT; IBM TDB	
-	1	(Home adj Automation) and ((8-bit)adj(processor))	USPĀT; US-PGPUB;	2003/12/30 16:53
			EPO; JPO; DERWENT; IBM_TDB	
-	1259	(Home adj Automation) and @ad<20010716	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 16:54
	_		DERWENT; IBM_TDB	
-	92	((Home adj Automation) and @ad<20010716) and (ethernet)	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 16:54
			DERWENT; IBM_TDB	
-	3	((Home adj Automation) and @ad<20010716) and (ethernet adj hub)	USPAT; US-PGPUB; EPO; JPO;	2003/12/30 16:54
			DERWENT; IBM_TDB	